### COMMONWEALTH OF KENTUCKY

#### BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

RATE APPLICATION OF WESTERN KENTUCKY GAS COMPANY

. ) CASE NO. 95-010

## ORDER

On May 4, 1995, the Attorney General filed a motion requesting an extension of time until May 30, 1995 within which to file the testimony of his witnesses. In support of his motion the Attorney General states that the current schedule will not permit adequate review of Western Kentucky Gas Company's ("Western") responses to previously issued data requests.

Western filed its memorandum in opposition to the motion on May 8, 1995 requesting the Commission deny the motion or in the alternative, if the motion is granted, adjust the remaining steps in the schedule to correspond with any extension granted.

After consideration of the motion, the response, and being otherwise sufficiently advised, the Commission finds that the motion should be granted and the procedural schedule should be modified to accommodate the parties.

IT IS THEREFORE ORDERED that the motion is granted and the procedural schedule attached as Appendix A shall be followed by all parties to this proceeding.

Done at Frankfort, Kentucky, this 12th day of May, 1995.

ATTEST:

PUBLIC SERVICE COMMISSION

For the Commission

## APPENDIX A

# APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE COMMISSION IN CASE NO. 95-010 DATED MAY 12, 1995.

Western shall serve responses to supplemental requests for information no later than	5/15/95
Intervenor testimony, if any, in verified prepared form shall be served no later than	5/30/95
All requests for information to Intervenors shall be served no later than	6/06/95
Intervenors shall serve responses to requests for information no later than	6/13/95
Last day for Western to publish notice of hearing date	6/20/95
Public Hearing is to begin at 10:00 a.m., Eastern Daylight Time, in Hearing Room 1 of the Commission' offices at 730 Schenkel Lane, Frankfort, Kentucky, for the purpose of cross-examination of witnesses	
of Western and Intervenors	6/27/95